SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE

	Product ID			
1.1	Trade name	FELDS	FELDSPAR 30/80	
	Nombre químico	Potass	ium Sodium Aluminosilicate	
	Uses of the substa	Uses of the substance		
1.2	Principal Use	Raw material for glass industry - Insulation and refractory manufacturing		
	Other uses			
	Details of the supplier of the safety data sheet			
	Piedra Grande Lab (S.A.M.I.	C.A y F.)	
	Email		ventas@piedra-grande.com	
1.3			Volitad Oploard grandoloom	
1.3	Manufacturer		Piedra Grande S.A.M.I.C.A y F.	
1.3	Manufacturer Address			
1.3			Piedra Grande S.A.M.I.C.A y F. Balcarce 880 5th Floor, Capital Federal CP (1064) – Buenos Aires	

SECTION 2 HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture Product contains crystalline silica 2.2 GHS Label



2.3	Other Hazards
Contair	ns crystalline silica. Avoid high concentrations to particles < 10 microns.

SECTION 3 COMPOSITION – INFORMATION OF INGREDIENTS

Product Definition 3.1 Mixture 3.2 Composition Name of substance CAS # % Silica 14808-60-7 64,0 to 72,0 Alkalis 1310-73-2 11,0 to 14,0 Alumina 1344-28-1 14,0 to 18,0

SECTION 4 FIRST AID MEASURES

IPIEDRA

4.1	Description of first aid measures	
Eye contact		Rinse with plenty of water without rubbing the eyes for at least 15 minutes. If irritation persists, seek medical attention.
Inhalation		Remove the victim from the area with high dust content. Move him/her to an environment where he/she can breathe fresh air. If symptoms persists, seek medical attention.
Skin contact		Rinse with plenty of water for 15 minutes; if irritation persists seek medical attention.
4.2	4.2 Most important symptoms and effects, both acute and delayed.	

No acute or chronic effects are to be expected under usual and normal conditions of use.

4.3 Indication of any immediate medical attention and special treatment needed.

In case of contact with the eyes, ophthalmologic medical consultation should be considered. In case of exposure to very dusty environments without the use of respiratory protection, seek medical advice for exposure.

Ingestion may cause gastrointestinal irritation, nausea, and diarrhea.

SECTION 5 FIREFIGHTING MEASURES

Product is not flammable.



SAFETY DATA SHEET FELDSPAR 30/80 Review Date June 2024

SECTION 6 ACCIDENTAL SPILLAGE MEASURES

6.1 Spill response actions.

Clean and collect the material. Avoid or minimize raising dust during the procedure.

Moistening the spilled material can help to reduce the dust in suspension.

It should be considered that the product becomes slippery when wet.

6.2 Personal precautions, protective equipment, and emergency procedures

In the event of a spill contingency, emergency response personnel should wear respiratory protection, gloves, and eye protection. All this personal protective equipment is NIOSH / MHSA / OSHA approved.







SECTION 7 | HANDLING AND STORAGE

7.1 Precautions for safe handling

Handle material packages with caution against falling or broken containers to avoid dispersion of the material and generation of suspended particulate matter.

Avoid exposure of the material to water or humidity during storage.

Consider recycling the containers once they are empty.

Avoid drinking, eating, or smoking in storage areas or during handling.

All personnel handling the material in closed containers must use mechanical risk PPE such as safety shoes and gloves.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1	Control parameters (As particulate matter)		
MAXIMUM CONCENTRATIONS ARGENTINE LAW		RESPIRABLE DUST	TOTAL DUST
CMP-CPT		(mg/m ³)	(mg/m ³)
Law 19587 Res. 295/2003 (Argentina)		2	10

MAXIMUM CONCENTRATIONS.	RESPIRABLE DUST	TOTAL DUST
INTERNATIONAL LAWS		
TWA-TLV	(mg/m ³)	(mg/m ³)
NIOSH TWA	5	10
ACGIH TLV	2	-

8.2	Exposure (

Controls

During operations with exposure to particulate matter, it is recommended to monitor (according to local programs or regulations) total and respirable particulate matter.

8.3

Protective equipment for handling







SECCIÓN 9

CHEMICAL & PHYSICAL PROPERTIES

9.1	Chemical & Physical Properties Information
	2 1

Parameter	Value	Units / observations
Physical state	Solid	N/A
Color	Grayish white or light brown	N/A
Odor	Does not have	N/A
Freezing Point	N/A	N/A
Fusion Point	1200 / 1220	°C
Inflammability	Not flammable	N/A
Explosive Limits	N/A	N/A
рН	Alcaline (8)	upH
Solubility	Not soluble	N/A
Specific weight	2,6	g/cm ³



SECTION 10 STABILITY AND REACTIVITY

10.1	Chemical Stability	
Product is stable.		
10.2	10.2 Reactivity	
Non-rea	active	
10.3	Hazardous products by decomposition	
None		
10.4	Non compatible Materials	
Do not store together with oxidizing products.		

SECTION 11 / TOXICOLOGY INFORMATION

11.1	Information and type of hazards	
May cause skin and eye irritation and respiratory mucous membrane irritation. Ingestion may cause gastrointestinal irritation, nausea, and diarrhea.		
11.2	Other risks information	
No other known hazards		

SECCIÓN 12 INFORMACION ECOLOGICA

12.1	Information and type of hazards	
No known effects on the environment		

SECTION 13 DISPOSAL CONSIDERATIONS

13.1

Waste treatment methods.

The material does not require special treatment as it is not considered hazardous.

Piedra Grande S.A.M.I.C.A y F. España 496, Avellaneda, Bs. As. ventas@piedra-grande.com

SECTION 14 **TRANSPORT INFORMATION**

14.1 Transportation identification

As it is not classified as a hazardous substance, it does not require special procedures for transportation. **Material not restricted for IATA**

SECTION 15 REGULATORY INFORMATION

15.1 Safety, health, and environmental regulations/legislation specific to the substance or mixture

See information in section 8.

SECTION 16 OTHER INFORMATION

16.1 Re

Referencias y Glosario

ACGIH: American Governmental Conference of Industrial Hygienists (EEUU).

NIOSH: National Institute of Occupational Health and Safety (EEUU).

OSHA: Occupational Health & Safety Management (EEUU).

MSHA: Mining Occupational Health and Safety Management (EEUU).

PEL: Permissible exposure value.

TLV: Threshold value

TWA: Time weighted average.

CMP-CPT: Maximum concentration allowed for short periods of time.

TLV-TWA: Time weighted tolerable limit value

IATA: International Air Transport Association

16.2	Contents

The information contained in this safety data sheet is based on our experience and knowledge, is authentic and reliable, and is intended to describe the product in consideration of industrial hygiene and safety requirements.

The development of this SDS is based on COMMISSION REGULATION (EU) 2020/878 of June 18, 2020, amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

Piedra Grande S.A.M.I.C.A y F. España 496, Avellaneda, Bs. As. ventas@piedra-grande.com